

# EKKO<sup>®</sup>

## MATERIAL HANDLING EQUIPMENT

### MOVING AHEAD



[www.ekkolifts.com](http://www.ekkolifts.com)

**EK20G / EK22G  
EK20GL / EK22GL:  
3 Wheel Electric**

Load Capacity 4500-5000 lb.  
Lift Height 189-216"  
**Side-Shift**, Free Lift, Tilt,  
Curtis Controller,  
7500W AC Drive Motor,  
48V/400-510Ah Battery



**EK20R / EK20RL:  
4 Wheel Electric Forklift**

Load Capacity 4500 lb.  
Lift Height 189-216"  
**Side-Shift**,  
65-73" Free lift, Tilt,  
Curtis Controller,  
German AC Motor,  
48V/420Ah Battery



**EK18AH / EK18A:  
3 Wheel Electric  
Forklift**

Load Capacity 4000 lb.  
Lift Height 138-216"  
**Side-Shift**,  
59" Free lift, Tilt,  
EPS, Curtis Controller,  
German AC Motor,  
48V/420Ah Battery



**EK15A / EK13A:  
3 Wheel Electric Forklift**

Load Capacity 3300 lb.  
Lift Height 138-177"  
**Side-Shift**,  
59" Free lift, Tilt,  
EPS, Curtis Controller,  
German AC Motor,  
24V/400Ah Battery



**EK18RF / EK18RFL:  
Stand-Up Rider Forklift**

Load Capacity 4000 lb.  
Lift Height 189"-216"  
**Side-Shift**,  
Free lift, Tilt, EPS,  
Curtis Controller,  
German AC Motor,  
48V/420Ah Battery



**EK18RR / EK18RRL:  
Stand-Up Rider  
Reach Truck**

Load Capacity 4000 lb.  
Lift Height 196"-275"  
**Side-Shift**  
Free lift, Tilt, EPS,  
Curtis Controller,  
German AC Motor,  
24V/350Ah Battery



**EOP68 / EOP70:  
Order Picker**

Load Capacity 2200 lb.  
Lift Height 177-196"  
Auxiliary Forks,  
EPS, Curtis Controller,  
German AC Motor,  
24V/350Ah Battery



**ER15 / ER15L:  
Walkie Reach Truck**

Load Capacity 3300 lb.  
Lift Height 138-177"  
**Side-Shift**,  
Free Lift Tilt, EPS,  
Curtis Controller,  
German AC Motor,  
24V/350Ah  
Battery



**EH15TH / EH15T:  
Moving Mast Reach Truck**

Load Capacity 3300 lb.  
Lift Height 138"-216"  
Free Lift, Tilt, EPS,  
Curtis Controller,  
German AC Motor,  
24V/270-400Ah  
Battery



**EK14S-130 / EK13S-177:  
Counterbalanced Stacker**

Load Capacity 2860-3300 lb.  
Lift Height 118"-177"  
**Side-Shift**, Tilt, EPS,  
Curtis Controller,  
German AC Motor,  
24V/210Ah Battery



**EK14-138 / EK14-130 / EK14:  
Counterbalanced Stacker**

Load Capacity 3300 lb.  
Lift Height 118"-138"  
Tilt, EPS, Curtis  
Controller,  
German AC Motor,  
24V/210Ah Battery



**EK07S:  
Counterbalanced Stacker**

Load Capacity 1550 lb.  
Lift Height 118"  
Curtis Controller,  
750W Drive Motor,  
24V/120Ah Battery



# Warehouse Equipment

## EB16EA Walkie Straddle Stacker

Load Capacity 4400 lb.  
Lift Height 216" , EPS,  
Curtis Controller,  
76.25 Free lift,  
3000W German AC Motor,  
24V/210AH Battery



## EB12EA: Walkie Straddle Stacker

Load Capacity 3000 lb.  
Lift Height 145"  
Curtis Controller,  
1500W ZF AC Drive Motor,  
Internal Charger  
24V/100Ah



## EB20E / EB18E: Walkie Straddle Stacker

Load Capacity 4000-4400 lb.  
Lift Height 138"-177"  
Curtis Controller,  
750W AC Drive Motor,  
External Charger,  
24V/160-210AH Battery



## EB13E / EB13E-138 Walkie Straddle Stacker

Load Capacity 2800 lb.  
Lift Height 119-138"  
Curtis Controller,  
750W Center Drive  
Motor,  
Internal Charger  
24V/100AH



## EB12E / EB12E-138 Walkie Straddle Stacker

Load Capacity 2640 lb.  
Lift Height 119"-138"  
Curtis Controller, 750W  
Center Drive motor,  
Internal charger,  
24V/100AH Battery



## EA15B / EA15D: Semi-Electric Straddle Stacker

Load Capacity 3300 lb.  
Lift Height 119"-138"  
45" Forks,  
Adjustable Legs,  
Power Lift  
Manual Drive  
Internal Charger  
12V/15A  
Battery 12V/120Ah



## EA15C: Fork Over Stacker

Load Capacity 3300 lb.  
Lift Height 119"  
45.3" Forks,  
Power Lift  
Manual Drive  
Internal Charger  
12V/15A  
Battery 12V/120Ah



## EPC30A: Center Controlled Rider

Load Capacity 5000 lb.  
27x45 Forks,  
3.3" Lowered,  
7.88" Raised,  
Curtis Controller,  
German AC Motor,  
24V/360AH



## EP30A: Rider Pallet Jack

Load Capacity 6600lb.  
27x48 Forks,  
3.3" Lowered,  
Curtis Controller,  
German AC Motor,  
24V/280AH



## EP25E / EP20E: Walkie Pallet Jack

Load Capacity 4400-5500 lb.  
27x48 Forks,  
3.3-7.9" Curtis Controller,  
German AC Motor,  
24V/160-240Ah



## EG30: Tow Tracker

Capacity 10,000 lb.  
Curtis Controller,  
German AC  
Motor, EPS,  
24V/210AH Battery



## A25: Manual Pallet Jack

Load Capacity 5500 lbs.  
Fork Size 27x48,  
2.95-7.5" height,  
Robotic Weld,  
German Seal Pumps,  
Polyurethane Wheels



## ES40E/ES60E/ES80E ES100E/ES120E: Scissor Lift

Capacity  
500-990 lb.  
14-39ft.  
Raised Height,  
86-102.36  
Lowered Height



**EK20-189Li /EK20-216Li:**  
4 Wheel Electric Forklift

Load Capacity 4500lb.  
Lift height 189-216"  
**Side-Shift**,  
43-52" Free Lift,  
Curtis Controller,  
AC Drive Motor,  
48V/350-404AH  
Li-Iron Battery



**EK22-189Li /EK22-216Li:**  
4 Wheel Electric Forklift

Load Capacity 5000lb.  
Lift height 189-216"  
**Side-Shift**,  
43-52" Free Lift,  
Curtis Controller,  
AC Drive Motor,  
48V/350-404AH  
Li-Iron Battery



**EK18A-189Li:**  
3 Wheel Electric Forklift

Load Capacity 4000lb.  
Lift height 189"  
**Side-Shift**,  
63" Free Lift,  
Curtis Controller,  
AC Drive Motor,  
48V/350AH Li-Iron Battery



**EK15A-189Li:**  
3 Wheel Electric

Load Capacity 3300 lb.  
Lift Height 189"  
**Side-Shift**,  
62.59" Free lift, Tilt,  
EPS, Curtis  
Controller, 24V AC  
Drive Motor,  
24V/350Ah Li-Iron  
Battery



**EK18RRL-196Li:**  
Stand-Up Rider Reach  
Truck

Load Capacity 4000lb.  
Lift height 196"  
**Side-Shift**,  
Free Lift & Tilt,  
Curtis Controller,  
AC Drive Motor,  
48V/404AH Li-Iron Battery  
Charger 48V/200A



**EK18RF-Li:**  
Stand-Up Rider Forklift

Load Capacity 4000lb.  
Lift height 216"  
**Side-Shift**,  
Free Lift & Tilt,  
Curtis Controller,  
AC Drive Motor,  
48V/404AH Li-Iron Battery  
Charger 48V/200A



**EOP70-Li:**  
Order Picker

Load Capacity 2200lb.  
Lift height 196"  
Auxiliary Forks,  
EPS, Curtis Controller,  
AC Drive Motor,  
24V/150AH Li-Iron Battery



**EK14-130Li:**  
Counterbalance Stacker

Load Capacity 3300 lb.  
Lift Height 130"  
Tilt, EPS, Curtis  
Controller,  
German AC Motor,  
24V/150AH-Li Battery  
110VAC Plug-in  
Automatic Charger



**EK14S-189Li:**  
Counterbalance Stacker

Load Capacity 3300 lb.  
Lift Height 189"  
**Side-Shift**,  
Tilt, EPS, Curtis  
Controller,  
German AC Motor,  
24V/150AH-Li Battery  
110VAC Plug-in  
Automatic Charger



**EB16EAS-189Li:**  
Li-Iron Walkie Straddle  
Stacker

Load Capacity 4400 lb.  
Lift Height 189"  
**Side-Shift**  
EPS, Curtis Controller,  
51.85 Free Lift,  
AC Driving Motor  
24V/150AH Li-Iron Battery



**EB13E-119/138/145Li:**  
Li-Iron Walkie  
Straddle Stacker

Load Capacity 2800 lb.  
Lift Height 119-145"  
Curtis Controller,  
24v Drive Motor,  
24V/50AH Lithium  
Battery



**EB13ES-145Li:**  
Li-Iron Walkie  
Straddle Stacker


Load Capacity 2640 lb.  
Lift Height 145"  
Curtis Controller,  
**Side-Shift**  
24v Drive Motor,  
24V/50AH Lithium  
Battery



# Warehouse Equipment


## EB13ES-119Li: Li- Iron Walkie Straddle Stacker

Load Capacity 2640 lb.  
Lift Height 119"  
Curtis Controller,  
**Side-Shift**  
24v Drive Motor,  
24V/50AH Lithium  
Battery



## EB12E-98Li LI-IRON Straddle Stacker

Load Capacity 2640 lb.  
Lift Height 98"  
45" Forks,  
Adjustable Legs and forks,  
Internal Charger,  
24V/50AH Li Battery



## EP30A-LI: LI-IRON Rider Pallet Jack

Load Capacity 6600 lb.  
Raised Height 9.17"  
Lowered Height 3.26"  
Curtis Controller,  
ZF AC Drive Motor,  
Polyurethane Wheels,  
24V/202AH Lithium  
Battery



## EP18LI / EP20LI: LI-IRON Walkie Pallet Jack

Load Capacity 4000-4400 lb.  
27x48 Forks  
3.3-7.7", Curtis Controller,  
24V Drive Motor  
Internal Charger,  
24V/40-60Ah



## EPF20LI / EPF18LI / EPF15LI: LI-Iron Full Power Walkie Pallet Jack

Load Capacity 3300-4400 lb.  
27x48 Forks, 3.3-7.87",  
Turning, Curtis Controller,  
24V/30 -40AH Li Battery  
48V/30AH Li Battery



## EP15SLI / EP18SLI LI-Iron Semi- Walkie Pallet

Load Capacity 3300-4000 lb.  
27x48 Forks, 3.3-7.87",  
Power Drive and Lift,  
Curtis Controller,  
Easy Exchangeable  
24V/30-40AH Battery Pack



## EP15JLI / EP18JLI / EP20JLI: Li-Iron Full Electric Pallet Jack

Load Capacity 3300-4400 lb.  
27x48" Forks,  
3.35-7.8", Robotic Weld,  
Curtis Controller,  
Internal Charger,  
24V-48V/20-40AH  
Li-Iron Battery



## ES40ELI / ES60ELI / ES80ELI ES100ELI / ES120ELI : LI-Iron Scissor Lift

Lifting Height:  
13ft-39ft

Weight Capacity:  
500 lbs. – 700  
lbs.



## Why Chose Lithium?

Lithium Batteries have 4x the energy density of lead acid batteries giving you the ability to deep-cycle repeatedly with out damaging them.

Lithium Batteries can charge 5x faster.

Lithium Battery gives you the ability to "opportunity charge"

**EK25LP / EK25-212LP/  
EK25CLP/EK25SLP  
EK30LP /EK35LP / EK50LP**

Load Capacity 5000-10,000 lb.  
Lift Height 189-212"

**Side-Shift**, Free Lift, Tilt,  
42" Forks, Triple Mast,  
Hydraulic Controls,  
KUBOTA /PSI LPG Engine



1761 W Holt Ave  
Pomona, CA 91768  
Info@EKKOLifts.com  
WWW.EKKOLifts.com  
(877)232-6517

**Become an EKKO  
Authorized Dealer  
Today!**